



Linda S. Adams  
Secretary for  
Environmental  
Protection



## Department of Toxic Substances Control

Maureen Gorsen, Director  
700 Heinz Avenue  
Berkeley, California 94710-2721



Arnold Schwarzenegger  
Governor

January 16, 2009

Mr. James B. Sullivan  
BRAC Environmental Coordinator  
U.S. Department of the Navy  
Base Realignment and Closure  
Program Management Office West  
1455 Frazee Road, Suite 900  
San Diego, California 92108-4310  
[james.b.sullivan2@navy.mil](mailto:james.b.sullivan2@navy.mil)

### **UNRESTRICTED RELEASE OF BUILDINGS 343 AND 344; NAVAL STATION TREASURE ISLAND (NSTI), SAN FRANCISCO, CALIFORNIA**

Dear Mr. Sullivan:

The Department of Toxic Substances Control (DTSC) has received and completed its review of the *Final Status Survey Report for Building 343; Naval Station Treasure Island, Treasure Island, California*, dated October 31, 2008 as well as the *Final Status Survey Report for Building 344; Naval Station Treasure Island, Treasure Island, California*, dated October 31, 2008. Based on our review, we conclude that Buildings 343 and 344 at Naval Station Treasure Island are acceptable for unrestricted release. Enclosed please also find a memorandum from the California Department of Health recommending unrestricted release of Buildings 343 and 344 with respect to radiological issues.

Please contact me at (510) 540-3775 or [rmiya@dtsc.ca.gov](mailto:rmiya@dtsc.ca.gov) if you have any questions.

Sincerely,

Ryan Miya, Ph.D.  
Senior Hazardous Substances Scientist  
Brownfields and Environmental Restoration Program

Mr. James Sullivan  
January 16, 2009  
Page 2

Enclosure

E-mail distribution with enclosure:

Mr. Charles Perry, P.E., U.S. Navy, [charles.l.perry@navy.mil](mailto:charles.l.perry@navy.mil)

Mr. Scott Anderson, U.S. Navy, [scott.d.anderson@navy.mil](mailto:scott.d.anderson@navy.mil)

Mr. James Whitcomb, P.G., U.S. Navy, [james.h.whitcomb@navy.mil](mailto:james.h.whitcomb@navy.mil)

Ms. Christine Katin, U.S. Environmental Protection Agency, Region 9,  
[Katin.Christine@epamail.epa.gov](mailto:Katin.Christine@epamail.epa.gov)

Mr. Ross Steenson, California Regional Water Quality Control Board,  
[rsteenson@waterboards.ca.gov](mailto:rsteenson@waterboards.ca.gov)

Ms. Tracy Jue, California Department of Public Health, [Tracy.Jue@cdph.ca.gov](mailto:Tracy.Jue@cdph.ca.gov)

Mr. Jack Sylvan, SF Mayor's Office of Base Reuse and Development,  
[jack.sylvan@sfgov.org](mailto:jack.sylvan@sfgov.org)

Ms. Mirian Saez, Treasure Island Development Authority, [mirian.saez@sfgov.org](mailto:mirian.saez@sfgov.org)

Mr. Gary R. Foote, P.G., AMEC Geomatrix, Incorporated, [gary.foote@amec.com](mailto:gary.foote@amec.com)

Mr. Pete Bourgeois, Shaw Environmental, Incorporated, [peter.bourgeois@shawgrp.com](mailto:peter.bourgeois@shawgrp.com)




California Department of Public Health  
**MEMORANDUM**

---

DATE: November 12, 2008

TO: Ryan Miya, PhD  
Senior Hazardous Substances Scientist  
Department of Toxic Substances Control  
Brownfields and Environmental Restoration Program  
700 Heinz Avenue  
Berkeley, CA 94710-2721  
Phone: 510-540-3775  
FAX: 510-540-3819

FROM: Robin Hook   
Environmental Management Branch  
Section Chief  
1616 Capitol Avenue, MS-7405  
P. O. Box 997377  
Sacramento, California 95899-7377

SUBJECT: **Recommendation for Unrestricted Release of Building 343 and Building 344**

Upon the request of the Department of Toxic Substance Control (DTSC), the California Department of Public Health (CDPH) reviewed documents associated with radiological issues regarding Building 343 and Building 344. CDPH has concluded that, with respect to radiological issues, this building is acceptable for unrestricted release.

If you need further assistance please contact Tracy Jue of my staff at (916) 324-4804.



## California Department of Public Health

# MEMORANDUM

---

CC:

James Whitcomb, P.G.  
BRAC Treasure Island Team RPM  
BRAC PMO West  
1455 Frazee Road Suite 900  
San Diego, Ca 92108-4310  
tel (619) 532 - 0936

Brian Maidrand  
Program Manager  
Tetra Tech EC  
1230 Columbia St. Ste 750  
San Diego, CA 92101